



technical data sheet

Description :

PRO SERIES WALL MOUNTED CABINETS **Front glass door, side blind panels**

PRO series wall mounted cabinets are designed for the containment of the main equipment for structured cabling, LAN networks. The new solution, with an original design allows the integration of a wide range of accessories needed in the most advanced hi-tech environments. They are available with a width of 600 mm and a depth of 400, 500 or 600 mm, with front glass door and side blind panels. Easy transport and fast assembly flat-packs are also available.

CODE		DESCRIPTION	OVERALL DIMENSIONS (mm)			WEIGHT	BEAR
Assembled	Flat pack		W	D	H	Kg	Kg
2010031	2010031F	Cabinet 19" 600x400x6U	600	400	395	13,5	50
2010032	2010032F	Cabinet 19" 600x400x9U	600	400	528	16,3	50
2010042	2010042F	Cabinet 19" 600x500x9U	600	500	528	21	50
2010054	2010054F	Cabinet 19" 600x600x9U	600	600	528	21,1	50
2010034	2010034F	Cabinet 19" 600x400x12U	600	400	660	19,2	50
2010044	2010044F	Cabinet 19" 600x500x12U	600	500	660	24	50
2010056	2010056F	Cabinet 19" 600x600x12U	600	600	660	25,8	50
2010035	2010035F	Cabinet 19" 600x400x15U	600	400	795	25	50
2010045	2010045F	Cabinet 19" 600x500x15U	600	500	795	27	50
2010057	2010057F	Cabinet 19" 600x600x15U	600	600	795	29,5	50
2010058	2010058F	Cabinet 19" 600x600x22U	600	600	1060	33	50



GENERAL FEATURES

- Steel sheet structure, 1 mm thick
- Front safety glass door, reversible by easy remove system with lock and keys, 190° opening
- Blind side panels removable by ¼ turn locks
- Nr. 2 front 19" uprights adjustable in depth
- Nr. 2 rear fixed 19" uprights
- Ventilation slots for hot air outlet on top and bottom, premises to install ventilation kit with 1 or 2 fans on the roof
- Cable inlets from top and bottom
- Rear panel with quick hooks predisposition
- Color Gray RAL 7035
- IP 20 protection degree according to EN 60529
- Impact resistance IK09
- Static load: 50 Kg
- Packaging of assembled rack: cardboard and transparent film
- Packaging of flat pack: cardboard and polystyrene

QUBIX S.p.A. Networking solutions – Via Canada, 22/A – 35127 Padova – Italy
Tel. +39 049 7801994 – Fax +39 049 775667 – <http://www.qubix.it>

Rev. 01-22

Qubix S.p.A. si riserva di apportare modifiche e migliorie in qualsiasi momento senza preavviso
Qubix S.p.A. reserves the right to make changes and improvements at any time without notice




technical data sheet

Description :

PRO SERIES WALL MOUNTED CABINETS
Front glass door, side blind panels

TECHNICAL DRAWINGS



QUBIX S.p.A. Networking solutions – Via Canada, 22/A – 35127 Padova – Italy
Tel. +39 049 7801994 – Fax +39 049 775667 – <http://www.qubix.it>

Rev. 01-22


Qubix S.p.A. si riserva di apportare modifiche e migliorie in qualsiasi momento senza preavviso
Qubix S.p.A. reserves the right to make changes and improvements at any time without notice



Description :

PRO SERIES WALL MOUNTED CABINETS
Front glass door, side blind panels

FLAT PACK PACKING DIMENSIONS



CODE	DESCRIPTION	FLAT PACK DIMENSIONS (mm)		
		A	B	C
2010031F	Cabinet 19" 600x420x6U	650	475	270
2010032F	Cabinet 19" 600x420x9U	650	575	240
2010042F	Cabinet 19" 600x520x9U	670	670	270
2010054F	Cabinet 19" 600x620x9U	670	670	270
2010034F	Cabinet 19" 600x420x12U	650	705	240
2010044F	Cabinet 19" 600x520x12U	650	705	240
2010056F	Cabinet 19" 600x620x12U	650	705	240
2010045F	Cabinet 19" 600x520x15U	650	840	240
2010057F	Cabinet 19" 600x620x15U	650	840	240
2010058F	Cabinet 19" 600x620x22U	650	1090	240