



Description :

PRO SERIES WALL MOUNTED CABINETS
Front glass door, side blind panels

PRO series wall mounted cabinets are designed for the containment of the main equipment for structured cabling, LAN networks. The new solution, with an original design allows the integration of a wide range of accessories needed in the most advanced hi-tech environments. They are available with a width of 600 mm and a depth of 400, 500 or 600 mm, with front glass door and side blind panels. Easy transport and fast assembly flat-packs are also available.

| CODE | | DESCRIPTION | OVERALL DIMENSIONS (mm) | | | WEIGHT | BEAR |
|-----------|-----------|-------------------------|-------------------------|-----|------|--------|------|
| Assembled | Flat pack | | W | D | H | Kg | Kg |
| 2010031 | 2010031F | Cabinet 19" 600x400x6U | 600 | 400 | 395 | 13,5 | 50 |
| 2010032 | 2010032F | Cabinet 19" 600x400x9U | 600 | 400 | 528 | 16,3 | 50 |
| 2010042 | 2010042F | Cabinet 19" 600x500x9U | 600 | 500 | 528 | 21 | 50 |
| 2010054 | 2010054F | Cabinet 19" 600x600x9U | 600 | 600 | 528 | 21,1 | 50 |
| 2010034 | 2010034F | Cabinet 19" 600x400x12U | 600 | 400 | 660 | 19,2 | 50 |
| 2010044 | 2010044F | Cabinet 19" 600x500x12U | 600 | 500 | 660 | 24 | 50 |
| 2010056 | 2010056F | Cabinet 19" 600x600x12U | 600 | 600 | 660 | 25,8 | 50 |
| 2010035 | 2010035F | Cabinet 19" 600x400x15U | 600 | 400 | 795 | 25 | 50 |
| 2010045 | 2010045F | Cabinet 19" 600x500x15U | 600 | 500 | 795 | 27 | 50 |
| 2010057 | 2010057F | Cabinet 19" 600x600x15U | 600 | 600 | 795 | 29,5 | 50 |
| 2010058 | 2010058F | Cabinet 19" 600x600x22U | 600 | 600 | 1060 | 33 | 50 |



GENERAL FEATURES

- Steel sheet structure, 1 mm thick
- Front safety glass door, reversible by easy remove system with lock and keys, 190° opening
- Blind side panels removable by ¼ turn locks
- Nr. 2 front 19" uprights adjustable in depth
- Nr. 2 rear fixed 19" uprights
- Ventilation slots for hot air outlet on top and bottom, premises to install ventilation kit with 1 or 2 fans on the roof
- Cable inlets from top and bottom
- Rear panel with quick hooks predisposition
- Color Gray RAL 7035
- IP 20 protection degree according to EN 60529
- Impact resistance IK09
- Static load: 50 Kg
- Packaging of assembled rack: cardboard and transparent film
- Packaging of flat pack: cardboard and polystyrene

QUBIX S.p.A. Networking solutions – Via Canada, 22/A – 35127 Padova – Italy
Tel. +39 049 7801994 – Fax +39 049 775667 – <http://www.qubix.it>

Rev. 01-22

Qubix S.p.A. si riserva di apportare modifiche e migliorie in qualsiasi momento senza preavviso
Qubix S.p.A. reserves the right to make changes and improvements at any time without notice





technical data sheet

Description :

PRO SERIES WALL MOUNTED CABINETS
Front glass door, side blind panels

TECHNICAL DRAWINGS



QUBIX S.p.A. Networking solutions – Via Canada, 22/A – 35127 Padova – Italy
Tel. +39 049 7801994 – Fax +39 049 775667 – <http://www.qubix.it>

Rev. 01-22


Qubix S.p.A. si riserva di apportare modifiche e migliorie in qualsiasi momento senza preavviso
Qubix S.p.A. reserves the right to make changes and improvements at any time without notice



Description :

PRO SERIES WALL MOUNTED CABINETS
Front glass door, side blind panels

FLAT PACK PACKING DIMENSIONS



| CODE | DESCRIPTION | FLAT PACK DIMENSIONS (mm) | | |
|----------|-------------------------|---------------------------|------|-----|
| | | A | B | C |
| 2010031F | Cabinet 19" 600x420x6U | 650 | 475 | 270 |
| 2010032F | Cabinet 19" 600x420x9U | 650 | 575 | 240 |
| 2010042F | Cabinet 19" 600x520x9U | 670 | 670 | 270 |
| 2010054F | Cabinet 19" 600x620x9U | 670 | 670 | 270 |
| 2010034F | Cabinet 19" 600x420x12U | 650 | 705 | 240 |
| 2010044F | Cabinet 19" 600x520x12U | 650 | 705 | 240 |
| 2010056F | Cabinet 19" 600x620x12U | 650 | 705 | 240 |
| 2010045F | Cabinet 19" 600x520x15U | 650 | 840 | 240 |
| 2010057F | Cabinet 19" 600x620x15U | 650 | 840 | 240 |
| 2010058F | Cabinet 19" 600x620x22U | 650 | 1090 | 240 |