

UniCam® Connector High-Performance Installation Tool Kit

High-Performance, LC, SC and ST® Compatible

CORNING

Specifications

General Specifications	
Product Type	Connector Tools and Tool Kits
Technology	No-Epoxy/No-Polish
Compatibility	LC, SC and ST® Compatible

Mechanical characteristics	
Dimensions (HxWxD)	25 cm x 35 cm x 9 cm (10 in x 14 in x 3.5 in)
Weight	2.5 kg (5.5 lb)

Chemical characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/EG

Ordering Information

Part Number	TKT-UNICAM-PFC
Product Description	UniCam® High-Performance Tool Kit: includes High-Performance Installation Tool for termination of multimode and single-mode LC, SC and ST® Compatible Connectors; includes Pretium® Flat Cleaver, 1.25 and 2.50 mm VFL ferrule adapters and all required fibre preparation, cleaning tools and materials

Shipping Information

Units per Delivery	1/1
Package Contents	UniCam® High-Performance Installation Tool, flat fibre cleaver, crimp tool, VFL adapters in 1.25 mm and 2.50 mm, gauge card, fibre preparation tools, fibre cleaning tools

UniCam® Connector High-Performance Installation Tool Kit

High-Performance, LC, SC and ST® Compatible

The CORNING logo is a blue square with the word "CORNING" in white, uppercase, sans-serif font centered inside.

Notes



Corning Cable Systems GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, Germany

TEL: 00800-2676-4641 (00800-CORNING1) · FAX: +49-30-5303-2335 · www.corning.com/cablesystems/emea

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/emea/trademarks. Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.